

References Cited

These references were specifically cited in the body of the report. Complete listings of the data and literature sources used in the watershed assessment are presented in individual appendices.

- Adams, P., M. Bowers, H. Fish, T. Laidig, and K. Silberberg. 1999. Historical and current presence/absence of coho salmon (*Oncorhynchus kisutch*) in the Central California Coast Evolutionarily Significant Unit. National Marine Fisheries Service, Santa Cruz/Tiburon Laboratories. April 1999.
- Alden, H. 2002. personal communication, Gualala Redwoods, Inc. Gualala, CA.
- Anderson, K. R. 1995. Report to the Fish and Game Commission: A status review of the coho salmon (*Oncorhynchus kisutch*) in California south of San Francisco Bay. Calif. Dept. of Fish and Game.
- Baker, P. and F. Reynolds. 1986. Life history, habitat requirements, and status of coho salmon in California. Report to the Calif. Fish and Game Commission. Sacramento, California.
- Beechie T. and T. Sibley. 1997. Relationships between channel characteristics, woody debris & fish habitat in NW Washington streams. Transactions of the American Fisheries Society 126: 217-219.
- Bell, E. 2001. Low growth rates and possible life-history consequences for juvenile coho salmon. Abstract of presentation given at the American Fisheries Society, California-Nevada and Humboldt Chapters 35th Annual Meeting, March 29-31, 2001, Santa Rosa, CA.
- Bjornn, T. C., and D. W. Reiser. 1991. Habitat requirements of salmonids in streams. American Fisheries Society Special Publication 19: 83-138.
- Brett, J. R. and D. MacKinnon. 1954. Some aspects of olfactory perception in migrating adult coho and spring salmon. J. Fish. Res. Board Can. 11: 310-318.
- Brett, J.R. 1952. Temperature Tolerance in Young Pacific Salmon, Genus *Oncorhynchus*. Pacific Biological Station, and Dept. of Zoology, University of Toronto. J. Fish. Res. Bd, Can. 9(6). 1952.
- Brown, C. 1986. An Account of the Fishes Caught in the Lower Gualala River, California, 1984 Through 1986. California Department of Fish and Game, Bay-Delta Fisheries Project, October 1986.
- Brown, L.R. and P.B. Moyle. 1991. Status of coho salmon in California. Report to the National Marine Fisheries Service. Davis, CA.
- Brown, L.R., P.B. Moyle, and R.M. Yoshiyama. 1994. Historical Decline and Current Status of Coho Salmon in California. North American Journal of Fisheries Management 14(2):237-261.
- Bruer, R.R. 1953. Field correspondence recommending that the Gualala River be opened to sport fishing after closure for five years. California Dept. of Fish and Game, Inland Fisheries Report.

7. References Cited

- Brungs, W.A. and B.R. Jones. 1977. Temperature Criteria for Freshwater Fish: Protocol and Procedures. USEPA Environmental Research Laboratory, Duluth, MN.
- Cafferata, P. H. and T. E. Spittler. 1998. Logging impacts of the 1970's vs. the 1990's in the Caspar Creek Watershed. USDA Forest Service General Technical Report PSW-GTR-168: 103-115.
- California Department of Fish and Game (CDFG). 1968. (Date of report estimated by Bill Cox, CDFG). Drainage description, discussion of riparian community, climate, soils, fisheries, flow data (1950-1971) in the Gualala and Garcia Rivers. California Department of Fish and Game, Region 3, Yountville, CA.
- California Department of Fish and Game (CDFG). 1994. Petition to the Board of Forestry to list coho salmon (*Oncorhynchus kisutch*) as a sensitive species. Inland Fisheries Division, Sacramento, CA.
- California Department of Fish and Game (CDFG). 2001. Status review of California coho salmon north of San Francisco. CA Department of Fish and Game, Sacramento, California.
- California Department of Fish and Game (CDFG). 2002. (unpub). Harris, S. Electro-fishing on the Little North Fork Gualala River, CA.
- California State Board of Forestry, Monitoring Study Group. 1998. Hillslope Monitoring Program: Monitoring Results from 1996 through 1998. Unpublished report, California Department of Forestry and Fire Protection, Sacramento, CA
- Carver, G. A., A.S. Jayco, D.W. Valentine, W.H. Li. 1994. Coastal uplift associated with the 1992 Cape Mendocino earthquake, N. California. *Geology* 22: 195-198.
- Coastal Forestlands. 1997. Sustained Yield Plan submitted to the CA Dept. of Forestry and Fire Protection.
- Cox, W. 1989. Memorandum on Fuller Creek three-pass electrofished at four stations on Fuller Creek, tributary to the Wheatfield Fork to the Gualala River. California Department of Fish and Game, Region 3, Yountville, CA.
- Dingman, R. 2002. personal communication, Gualala River Steelhead Project, Gualala, CA.
- EIP Associates. 1994. Gualala Aggregates, Inc. Draft Environmental Impact Report. State Clearinghouse No. 92123014. October 1994. Permit and Resource Management Department, Sonoma County, CA.
- Ellis, R. H. 1997. Comments to NMFS regarding the proposed listing of coho salmon as threatened in the southern Oregon/northern California ESU. Submitted on behalf of California Forestry Association and California Forest Resources Council, Sacramento, California.
- Forest Ecosystem Management Assessment Team (FEMAT). 1993. Forest ecosystem management: an ecological, economic, and social assessment. Portland, OR. U.S. Department of Agriculture, U.S. Department of Interior, U.S. Department of Commerce, U.S. Environmental Protection Agency.
- Fisher, C. K. 1956. The 1954-55 Steelhead Fishery on The Gualala River, Mendocino/Sonoma Counties. California Department of Fish and Game Inland Fisheries Report No. 57-15.
- Federal Interagency Stream Restoration Working Group (FISRWG). 1998. Stream Corridor Restoration: Principles, Processes, and Practices. GPO Item No. 0120-A; SuDocs No. A 57.6/2:EN 3/PT.653. ISBN-0-934213-59-3.

- Flosi, G., S. Downie, J. Hoplain, M. Bird, R. Coey, and B. Collins. 1998. California Salmonid Stream Habitat Restoration Manual. Third Edition. Inland Fisheries Division. California Department of Fish and Game. Sacramento, CA.
- Frissell C.A. 1993. Topology of extinction and endangerment of native fishes in the Pacific Northwest and California (U.S.A.). *Conservation Biology* 7: 342-354.
- Fong D. 2002. personal communication, California Academy of Sciences, Department of Ichthyology, San Francisco, CA.
- Gualala Redwoods, Inc. (GRI). 2000. Snorkel survey data from the North Fork and Tributaries, Gualala, CA.
- Harrington, J.M., P. Ode, A. Montalvo, D. Post, C. Sheehy, and M.Dawson. 1999. Biological and Physical Habitat Assessment of California Water Bodies. Russian River Index of Biological Integrity (RRIBI) for First to Third Order Streams. A Water Quality Inventory Series. California Department of Fish and Game, Water Pollution Control Laboratory, Rancho Cordova, CA.
- Henly, Russell K. 1993. Policy, Legal, and Institutional Considerations in the Control of Cumulative Environmental Impacts on Forested Watersheds in California. Ph.D. dissertation, University of California, Berkeley.
- Higgins, Patrick. 1997. Gualala River Watershed Literature Search and Assimilation. Funded by Coastal Conservancy, under contract to Redwood Coast Land Conservancy, Gualala, CA.
- Higgins, Patrick. 2001. Personal Communication
- Hilborn, R., and Walters, C. J. 1992. Quantitative fisheries stock assessment: choice, dynamics, and uncertainty. Chapman & Hall, New York.
- Huntington, C.W., and C.A. Frissell. 1997. Aquatic conservation and salmon recovery in the north coast basin of Oregon: a crucial role for the Tillamook and Clatsop state forests. Report prepared for Oregon Trout, Portland.
- Ice, G. G. 2000. The Use of Active Watershed Management to Achieve or Accelerate the Accomplishment of Watershed Goals.
- Ice, G.G. 1990. Dissolved oxygen and woody debris: detecting sensitive forest streams. Pages 333-46 in Wilhelms, S.C., and J.S. Gulliver, Editors. Air and water mass transfer. American Society of Civil Engineers, New York, NY.
- Jameson, M. 1995. CDF Audit Forester, Santa Rosa, CA.
- Kastner, C. 1959. Calif. Dept. of Fish and Game intraoffice correspondence to Willis Evans and Captain Lee Shea. CDFG Region 3, Yountville, CA.
- Kaye, R. 2002. personal communication, Sotoyome Resource Conservation District, Santa Rosa, CA.

7. References Cited

- Kelsey, H.M. 1987. Geomorphic Processes in the Recently Uplifted Coast Ranges of Northern California. Pages 550-560 *in* Graf, W.I., editor. Geomorphic Systems of North America. Centennial Special Volume 2, Geological Society of America, Boulder, CO.
- Kimsey, J.B. 1953. Population Sampling of Three North Coastal Streams Closed to Summer Trout Fishing in the 1952 season: 15 pp
- Knopp, C. 1993. Testing Indices of Cold Water Fish Habitat. California North Coast Regional Water Quality Control Board, Santa Rosa, CA.
- Knutson, K. L. and V. L. Naef. 1997. Management recommendations for Washington's priority habitats. Wash. Dept. Fish and Wildl., Olympia.
- Koehler, R. D., K. I. Kelson, and G. Matthews. 2001. Sediment Storage and Transport In The South Fork Noyo River, Jackson State Demonstration Forest. Unpublished Report Submitted To California Dept. of Forestry and Fire Protection (CDF) by William Lettis & Associates, Inc. and Graham Matthews & Associates.
- Laufle, J. C., G. B. Pauley, and M. F. Shepard. 1986. Species Profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific Northwest) - Coho salmon. U.S. Fish and Wildl. Serv. Biol. Rep. 82 (11.48). U.S. Army Corps of Engineers, TR EL-82-4.
- Levins, R. 1969. Some demographic and genetic consequences of environmental heterogeneity for biological control. Bulletin of the Entomological Society of America, 15: 237-240.
- Lisle, T. E. 1981. Recovery of aggraded stream channels at gauging stations in northern California and southern Oregon. Pages 189-211 *in* Timothy R. H. Davies and Andrew J. Pearce, editors. Erosion and Sediment Transport in Pacific Rim Steeplands, Proceedings of the Christchurch Symposium, 25-31 January 1981, Christchurch, New Zealand. Int. Assn. Hydrol. Sci. Pub. No. 132:.
- Lisle, T. E., and M. B. Napolitano. 1998. Effects of recent logging on the main channel of North Fork Caspar Creek. USDA Forest Service General Technical Report PSW-GTR-168: 81-85.
- Louisiana Pacific Corporation. 1997. Sustained Yield Plan. Vol. 6. South Coast.
- Madej, M.A. 1999. Time, space, and rates of change in channel monitoring. Pages 15-27 *in* Taylor, R.N., editor. Using Stream Geomorphic Characteristics as a Long-term Monitoring Tool to Assess Watershed Function. A Workshop Co-Sponsored by Fish, Forests, and Farms Communities Forum; Simpson Timber Company; National Marine Fisheries Service; Environmental Protection Agency; Forest Science Project; and the Americorp Watershed Stewards Program. Humboldt State University, Arcata, CA. March 18 & 19, 1999.
- Madej, M. A. and V. Ozaki. 1996. Channel response to sediment wave propagation and movement, Redwood Creek, California, USA. Earth Surface Processes and Landforms 21: 911-927.
- Madej, M. A. 1982. Sediment transport and channel changes in an aggrading stream in the Puget Lowland, Washington. Pages 5-23 *in* F. J. Swanson, R. J. Janda, T. Dunne, and D. N. Swanson, editors. Sediment Budgets and Routing in Forested Drainage Basins. USDA Forest Service PNW Research Station, General Technical Report PNW-141.
- Manson, M. DMG Report, THP 97-084.

- McElhany, P., M. H. Ruckelshaus, M. J. Ford, T. C. Wainwright, and E. P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. NOAA Technical Memorandum NMFS-NWFSC-42.
- Meehan, W. R., editor. 1991. Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats. American Fisheries Society Special Publication 19.
- Mobrand, Lars E., James A. Lichatowich, Lawrence C. Lestelle, and Thomas S. Vogel. 1997. An approach to describing ecosystem performance "through the eyes of salmon". Can. J. Fish. Aquat. Sci. 54: 2964-2973.
- Monitoring Study Group. 1999. Hillslope Monitoring Program: Monitoring Results from 1996 through 1998. Interim Report to the State Board of Forestry and Fire Protection. Prepared by the Monitoring Study Group to the State Board of Forestry. Also available at: <http://www.fire.ca.gov/BOF/pdfs/rept9.PDF>
- Montgomery, D.R. 2000. Coevolution of the Pacific salmon and Pacific Rim topography. Geology, Vol. 28: 1107-1110.
- Morgan, K. 2002. personal communication, Gualala Watershed Council, Gualala, CA.
- Moyle, P. B. and G. M. Sato. 1991. On the Design of Preserves to Protect Native Fishes. Pages 155-169 in Minkley, W. L. and J. E. Deacon, editors. Battle Against Extinction: Native Fish Management in the American West. University of Arizona Press, Tucson, Arizona.
- Moyle, P.B., and R.M. Yoshiyama. 1992. Fishes, Aquatic Diversity Management Areas, and Endangered Species: A Plan to Protect California's Native Aquatic Biota. The California Policy Seminar, University of California.
- Murphy, M. L. and W.R. Meehan. 1991. Stream ecosystems. American Fisheries Society Special Publication 19: 17-46.
- National Marine Fisheries Service (NMFS). 2001. Status Review Update for Coho Salmon (*Oncorhynchus kisutch*) from the Central California Coast and the California portion of Southern Oregon/Northern California Coasts Evolutionarily Significant Units. NOAA, Nat'l. Marine Fisheries Service, Southwest Fisheries Center, Santa Cruz, CA: 49 pp + appendices.
- North Coast Regional Water Quality Control Board (NCRWQCB). 1994. Water Quality Control Plan for the North Coast Region. California North Coast Regional Water Quality Control Board, Santa Rosa, CA. August, 1994 and amendments thereto.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2000. Review of Russian River Water Quality Objectives for Protection of Salmonid Species Listed Under the Federal Endangered Species Act. California North Coast Regional Water Quality Control Board, Santa Rosa, CA. August, 2000.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2001a. Methods Manual for Water Quality Data Gathering and Analysis for the North Coast Watershed Assessment Program. California North Coast Regional Water Quality Control Board, Santa Rosa, CA. May 8, 2001 draft.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2001b. Gualala River Watershed Technical Support Document for the Total Maximum Daily Load for Sediment. California North Coast Regional Water Quality Control Board, Santa Rosa, CA.

7. References Cited

- Naimann, R.J., Beechie, T.J., Benda, L.E., Berg, D.R., Bisson, P.A., MacDonald, L.H., O'Connor, M.D., Olsen, P.L. and Steele, E.A. 1992. Fundamental Elements of Ecologically Healthy Watersheds in the Pacific Northwest Coastal Ecoregion. Pages 127-188 in Naiman, R.J., editor. Watershed Management, Balancing Sustainability and Environmental Change, Springer-Verlag, New York, NY.
- Nehlsen, W., J.E. Williams, J.A. Lichatowich. 1991. Pacific Salmon at the Crossroads: Stocks at risk from California, Oregon, Idaho, and Washington. *Fisheries* 16(2): 4-21.
- Pacific Fishery Management Council (PFMC). 1999. Identification and description of essential fish habitat, adverse impacts, and recommended conservation measures for salmon. Amendment 14 to the Pacific Coast Salmon Plan pursuant to National Oceanic and Atmospheric Administration (NOAA) award number NA07FC0026. 146
- Preston, L. 2001. Modified Ten Pool Protocol For Use During Calendar Year 2001 Coho Salmon Presence/Absence Surveys. California Department of Fish and Game.
- Reeves G. H., Everest F. H., Sedell J. R. 1993. Diversity of juvenile anadromous salmonid assemblages in Oregon basins with different levels of timber harvest. *Trans. Am. Fisheries Soc.*, 122(3): 309-317.
- Reeves, G. 2001. Assessment of Ecosystem condition. Presentation given before California Resources Agency, Sacramento, CA. February 9, 2001.
- Reeves, G. H., L.E. Benda, K.M. Burnett, P.A. Bisson, J.R. Sedell. 1995. A Disturbance-Based Ecosystem Approach to Maintaining and Restoring Freshwater Habitats of Evolutionarily Significant Units of Anadromous Salmonids in the Pacific Northwest. Pages 334-339 in J. L. Nielsen, editor. Evolution and the Aquatic Ecosystem Symposium. American Fisheries Society. Symposium 17.
- Rehn, A. June 2002. California Department of Fish and Game, Water Pollution Control Lab, Rancho Cordova, CA.
- Reice, S. R. 1994. Nonequilibrium determinants of biological community structure. *American Scientist* 82: 424-435.
- Reynolds, K. 1999. EMDS users guide (version 2.0): knowledge-based decision support for ecological assessment. USFS Gen. Tech. Rep. PNW-GTR-470. Also available at: <http://www.fsl.orst.edu/emds/download/gtr470.pdf>
- Rosgen, D. L. 1996. Applied River Morphology, Wildland Hydrology, Pagosa Springs, CO.
- Sandercock, F. K. 1991. Life history of coho salmon, *Oncorhynchus kisutch*. Pages 397-445 in Groot, C. and L. Margolis, editors. Pacific salmon life histories. Univ. of British Columbia Press, Vancouver, B. C.
- Saunders, M.C. and B.J. Miller. No Date. A Graphical Tool For Knowledge Engineers Designing Natural Resource Management Software: Netweaver. Also available at : <http://mona.psu.edu/NetWeaver/papers/nw2.htm>
- Scott, W.B. and E.J. Crossman. 1973. Freshwater fishes of Canada. Fisheries Research Board of Canada, Bulletin 184: 158-164.

- Sedell, J. R., G. H. Reeves, F. R. Hauer, J. A. Stanford and C. P. Hawkins. 1990. Role of refugia in recovery from disturbances: Modern fragmented and disconnected river systems. *Environmental Management* 14(5): 711-724.
- Shapovalov, L and A.C. Taft. 1954. The life histories of steelhead rainbow trout (*Salmo gairdneri*) and silver salmon (*Oncorhynchus kisutch*) with special reference to Waddell Creek, California and recommendations regarding their management. California Department of Fish and Game, California. Bulletin 98.
- Smith, S. CDF Field Inspector
- Snyder, J. 1907. Fishes of the Northern Coastal California Stream and Oregon. Bureau of Fisheries Document VXXVII.
- Spittler, T. 1989. Geological Review 89-091 SON.
- Spittler, T. E. (pers. comm. as follows:) "The rate of logging has also declined over the past 20 years. In the early 1980s well over 1200 THPs were submitted for the region that extended from Marin County to Del Norte County. By 2000 the number of THPs submitted has been reduced to fewer than 400, the average size of each THP has, I believe, decreased (300 to 600 acre THPs were the typical ones I inspected 20 years ago – today the average size seems to be closer to 100 acres). Additionally, the area managed out of Santa Rosa [CDF Regional Headquarters, where THPs are reviewed] increased to include the South Bay Counties of Santa Cruz, Santa Clara, and San Mateo."
- Stewart, B.S. 1997. California Pinnipeds: Population Trends, Trans-jurisdictional Migrations, and Ecological Function. In Large Marine Ecosystems of the Eastern North Pacific Ocean Pinniped Populations, eastern North Pacific: Status, Trends and Issues. Jointly organized by the Monterey Bay Aquarium and the New England Aquarium August 28, 1997, Monterey, CA.
- Sullivan, K., D.J. Martin, R.D. Cardwell, J.E. Toll, and S. Duke. 2000. An Analysis of the Effects of Temperature on Salmonids of the Pacific Northwest with Implications for Selecting Temperature Criteria. Sustainable Ecosystems Institute, Portland, Oregon.
- Swanston, D. N. 1991. Natural processes. American Fisheries Society Special Publication 19: 139-179.
- Taft, A.C. 1951. Letter to Walt Christman, Outdoors Editor, Press Democrat, Santa Rosa, CA.
- Trombulak, S.C., and C.A. Frissell. 2000. Review of ecological effects of roads on terrestrial and aquatic communities. *Conservation Biology* 14: 18-30.
- Trush, William. personal communication.
- U.S. Bureau of Reclamation (BOR). 1974. Fishery Improvement Study Concluding Report. Eureka Division, North Coast Project, California U.S. Bureau of Reclamation, Mid-Pacific Region, Sacramento, CA.
- Weitkamp, L.A., T.C. Wainwright, G.J. Bryant, G.B. Milner, D.J. Teel, R.G. Kope, and R.S. Waples. 1995. Status review of coho salmon from Washington, Oregon, and California. U.S. Dept. of Commerce, NOAA Technical Memo NMFS-NWFSC-24.